





MUSES MEETING 2023 - CARL HASTER

LIGO + MUSES

WHAT SHOULD WE EXPECT FROM LIGO AND HOW CAN MUSES BE USEFUL?



BNS RANGE

- ▶ O2
 - ▶ 70-110 Mpc
- **O**3
 - ▶ 110-140 Mpc
 - ▶ 2-4 increase in volume wrt O2
- **O**4
 - ▶ ~160Mpc
 - ▶ 1.5-3 increase in volume wrt O3

BNS RANGE


- **O**2
 - 70-110 Mpc
- **O**3
 - ▶ 110-140 Mpc
 - ▶ 2-4 increase in volume wrt O2
- **O**4
 - ▶ ~160Mpc
 - ▶ 1.5-3 increase in volume wrt O3

▶ 1 thing with NSs


> 3-4 things with NSs

O(10) things with NSs


LIGO SENSITIVITY




LIGO SENSITIVITY



LIGO SENSITIVITY




CURRENT ASTRO CONSTRAINTS ON HIGH-DENSITY, COLD EOS




Legred, Chatziioannou, Essick, Han, Landry (2021)


CURRENT ASTRO CONSTRAINTS ON HIGH-DENSITY, COLD EOS




CURRENT ASTRO CONSTRAINTS ON HIGH-DENSITY, COLD EOS




$$\tilde{\Lambda} = \frac{16 (m_1 + 12m_2) m_1^4 \Lambda_1 + (m_2 + 12m_1) m_2^4 \Lambda_2}{(m_1 + m_2)^5}$$




$$\tilde{\Lambda} = \frac{16 (m_1 + 12m_2) m_1^4 \Lambda_1 + (m_2 + 12m_1) m_2^4 \Lambda_2}{(m_1 + m_2)^5}$$




Essick



$$\tilde{\Lambda} = \frac{16 (m_1 + 12m_2) m_1^4 \Lambda_1 + (m_2 + 12m_1) m_2^4 \Lambda_2}{(m_1 + m_2)^5}$$




Essick




THE FUTURE

ALL THE NEUTRON STARS




Systematics in EoS inference method




Systematics in EoS inference method


Systematics in EoS modelling





Systematics in EoS inference method


- Systematics in EoS modelling
- Systematics in waveforms














POST-MERGER RECONSTRUCTION




$$\tilde{\Lambda} = \frac{16 (m_1 + 12m_2) m_1^4 \Lambda_1 + (m_2 + 12m_1) m_2^4 \Lambda_2}{(m_1 + m_2)^5}$$



$$\tilde{\Lambda} = \frac{16 (m_1 + 12m_2) m_1^4 \Lambda_1 + (m_2 + 12m_1) m_2^4 \Lambda_2}{(m_1 + m_2)^5}$$





THE FUTURE

ALL THE NEUTRON STARS

- Fast to evaluate
 - O(million) calls per analysis

- Fast to evaluate
 - O(million) calls per analysis
- Scalable
 - Compute only the regions of interest
 - Careful about memory usage
 - Runtime evaluation + input/tabulated/basis data

23

- Fast to evaluate
 - O(million) calls per analysis
- Scalable
 - Compute only the regions of interest
 - Careful about memory usage
 - Runtime evaluation + input/tabulated/basis data
- Hierarchical vs online/simultaneous modelling

- Fast to evaluate
 - O(million) calls per analysis
- Scalable
 - Compute only the regions of interest
 - Careful about memory usage
 - Runtime evaluation + input/tabulated/basis data
- Hierarchical vs online/simultaneous modelling
- Containerisation & reproducibility

24

NEED TO REACH OUT TO WAVEFORM DEVELOPERS

NEED TO REACH OUT TO WAVEFORM DEVELOPERS

MUSES delivers a good Λ(mass)

NEED TO REACH OUT TO WAVEFORM DEVELOPERS

MUSES delivers a good Λ(mass)

Are our waveform models good enough to resolve this?

Pre-merger

MUSES delivers a good Λ(mass)

- Pre-merger
- Post-merger

MUSES delivers a good Λ(mass)

- Pre-merger
- Post-merger
- During-merger?

LIGO+MUSES 25

UNCERTAINTIES!!!

Shout-out to Maurício

- Shout-out to Maurício
- No EoS produced by MUSES will be completely correct

- Shout-out to Maurício
- ▶ No EoS produced by MUSES will be completely correct
 - Connection between different EoS patches

- Shout-out to Maurício
- No EoS produced by MUSES will be completely correct
 - Connection between different EoS patches
 - Quantify uncertainties in each model/patch

- Shout-out to Maurício
- No EoS produced by MUSES will be completely correct
 - Connection between different EoS patches
 - Quantify uncertainties in each model/patch
 - Connect uncertainties between different EoS patches

- Shout-out to Maurício
- No EoS produced by MUSES will be completely correct
 - Connection between different EoS patches
 - Quantify uncertainties in each model/patch
 - Connect uncertainties between different EoS patches
 - Propagate them upwards

- Shout-out to Maurício
- No EoS produced by MUSES will be completely correct
 - Connection between different EoS patches
 - Quantify uncertainties in each model/patch
 - Connect uncertainties between different EoS patches
 - Propagate them upwards
- Marginalise over uncertainties

- Shout-out to Maurício
- No EoS produced by MUSES will be completely correct
 - Connection between different EoS patches
 - Quantify uncertainties in each model/patch
 - Connect uncertainties between different EoS patches
 - Propagate them upwards
- Marginalise over uncertainties
- Inform EoS modelling where more/most focus is needed

- Which EoS model should be used when
 - Overlap/transition regions between patches

- Which EoS model should be used when
 - Overlap/transition regions between patches
- Will have millions of NS GW observations

- Which EoS model should be used when
 - Overlap/transition regions between patches
- Will have millions of NS GW observations
- Should develop MUSES to update EoS models based off observational data

SCIENCE